Attorney Docket No. 2003 1279 Serial No. 10/674,433 March 15, 2007

AMENDMENTS TO THE CLAIMS

- 1. (Withdrawn) A monoclonal or polyclonal antibody or equivalent ligand with reactivity against an anti-TCR Vβ antibody, for use as a pharmaceutical or as a diagnostic agent.
- 2. (Withdrawn) An antibody with reactivity against an anti-TCR V β antibody, for use as a pharmaceutical or as a diagnostic agent.
- 3. (Withdrawn) An antibody or equivalent ligand according to claim 1 with reactivity against both an anti-TCR V β antibody and a GPI-linked TCR V β chain, for use as a pharmaceutical or as a diagnostic agent.
- 4. (Withdrawn) An antibody or equivalent ligand according to claim 1 with reactivity against any one of the following compounds: a phospholipid, a phospholipid glycan, single stranded DNA and double stranded DNA, for use as a pharmaceutical or as a diagnostic agent.
- 5. (Withdrawn) An antibody according to claim 1 which is a monoclonal antibody, for use as a pharmaceutical or as a diagnostic agent.
- 6. (Withdrawn) An antibody or equivalent ligand according to claim 1 which is of vertebrate or invertebrate origin, for use as a pharmaceutical or as a diagnostic agent.
- 7. (Withdrawn) An antibody or equivalent ligand according to claim 1 that is derived from B cells immortalised by Epstein-Barr virus transformation or other methods using B cells obtained from healthy or diseased humans or animals.

Attorney Docket No. 2003 1279 Serial No. 10/674,433

March 15, 2007

8. (Withdrawn) An antibody or equivalent ligand according to claim 1 which is isolated

by passing body fluid from animals or humans down an antigen conjugated column, for use as a

pharmaceutical or as a diagnostic agent.

9. (Withdrawn) An antibody or equivalent ligand according to claim 8 wherein said

animals or humans are immunised with antigen, are diseased or have been manipulated by drug

or by diet so as to develop a disease, for use as a pharmaceutical or as a diagnostic agent.

10. (Withdrawn) An antibody or equivalent ligand according to claim 1 which is

chemically-modified, bound to a biological or synthetic substance, or which is conjugated to an

enzyme, an indicator compound, a drug, a toxin or a radioactive label, for use as a

pharmaceutical or as a diagnostic agent.

11. (Cancelled)

12. (Withdrawn) A peptide, oligopeptide, polypeptide or protein that is bound by a

monoclonal or polyclonal antibody or equivalent ligand according to claim 1, which is not an

anti-TCR VB antibody, for use as a pharmaceutical or as a diagnostic agent.

13. (Cancelled)

14. (Withdrawn) A peptide, oligopeptide, polypeptide or protein comprising the

sequence of ESRP1.

15. (Withdrawn) A peptide, oligopeptide, polypeptide or protein according to claim 14,

for use as a pharmaceutical or as a diagnostic agent.

- 3 -

Attorney Docket No. 2003 1279 Serial No. 10/674,433 March 15, 2007

16. (Cancelled)

- 17. (Withdrawn) A cDNA, RNA or genomic DNA sequence encoding a monoclonal or polyclonal antibody or equivalent ligand with reactivity against an anti-TCR Vβ antibody or encoding a peptide, oligopeptide, polypeptide or protein that is bound by a monoclonal or polyclonal antibody or equivalent ligand with reactivity against an anti-TCR Vβ antibody, which is not an anti-TCR Vβ antibody for use as a pharmaceutical or as a diagnostic agent.
 - 18. (Withdrawn) A cDNA, RNA or genomic DNA sequence encoding ESRP1.
- 19. (Withdrawn) A bacteriophage clone comprising a cDNA, RNA or genomic DNA sequence according to claim 18.
- 20. (Withdrawn) A biologically functional plasmid or viral vector comprising a cDNA, RNA or genomic DNA sequence according to claim 19.
- 21. (Withdrawn) A bacteriophage clone, biologically functional plasmid or viral vector comprising a cDNA, RNA or genomic DNA sequence according to claim 18, for use as a pharmaceutical or as a diagnostic agent.
- 22. (Withdrawn) A host cell that is stably transformed or transfected with a plasmid or vector according to claim 20.

Attorney Docket No. 2003 1279 Serial No. 10/674,433

March 15, 2007

23. (Withdrawn) A method for detection of a naturally-occurring autoantibody, comprising contacting a blood, plasma or serum sample or other body fluid with a monoclonal or polyclonal antibody or equivalent ligand according to claim 1 and with target molecules and assessing the amount of said naturally-occurring autoantibody that binds specifically to the target molecules.

- 24. (Withdrawn) The method of claim 23 wherein said antibody, fragment thereof or functional equivalent is labelled so that the labelled antibody or equivalent ligand competes with the autoantibodies for the target molecules to form complexes and whereby the amount of label bound in said complexes is inversely proportional to the concentration of autoantibodies present in said sample.
- 25. (Withdrawn) The method of claim 24, wherein said antibody or equivalent ligand is labelled with an enzyme so that the formation of said complexes inhibits or inactivates the activity of said enzyme and whereby the degree of inhibition or activation is inversely proportional to the concentration of autoantibodies that are present in said sample.
- 26. (Withdrawn) A method according to claim 24, wherein said target molecules are bound to an enzyme linked to a substrate such that binding of antibody to the target molecules activates the enzyme and causes a colour change that is measurable spectrophotometrically.
- 27. (Withdrawn) A method according to claim 23, wherein said target molecules are bound to an enzyme linked to a substrate and are present on a dipstick which can be contacted with said sample.

Attorney Docket No. 2003 1279 Serial No. 10/674,433 March 15, 2007

- 28. (Withdrawn) A method according to claim 24, wherein said target molecule is an anti-TCR V β polyclonal or monoclonal immunoglobulin molecule or any part thereof that identifies at least one epitope on T cell receptor V β chains in humans or any animal species.
- 29. (Currently amended) A method of treating a condition wherein hormonal dysregulation[[,]] or hyperinsulinaemia and/or and insulin resistance are present, which comprises administering to a patient in need thereof an antibody or fragment thereof, which is capable of specifically binding binds both an anti-T cell receptor (TCR) Vβ antibody and a glycosyl phosphatidyl inositol (GPI linkage epitope, or a fragment thereof which is capable of specifically binding an anti-TCR Vβ antibody or a peptide that is bound by the antibody which is capable of specifically binding the anti-TCR Vβ antibody in an effective amount to treat said condition, optionally in conjunction with a pharmaceutically-acceptable carrier.
- **30.** (Currently amended) The method of treating according to claim 29, wherein the condition which is treated is selected from the group consisting of IDDM, NIDDM, pre-IDDM, pre-NIDDM, organ specific autoimmune disease, non-organ specific autoimmune disease, cardiovascular disease, cancer_and cancer cachexia.